

Surface-to-Floor Screen



GLASS

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 $\frac{3}{4}$ " with $\frac{3}{8}$ " glide adjustment to 29 $\frac{3}{16}$ "
- 48"D screens work with 24"D surfaces
- 60"D screens work with 30"D surfaces

MATERIALS

- Aluminum painted frame
- Clear tempered glass

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19 $\frac{1}{2}$ "W x $\frac{1}{4}$ "H

POLYCARBONATE

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 $\frac{3}{4}$ " with $\frac{3}{8}$ " glide adjustment to 29 $\frac{3}{16}$ "
- 48"D screens work with 24"D surfaces
- 60"D screens work with 30"D surfaces

MATERIALS

- Aluminum painted frame
- Semi-opaque fluted polycarbonate

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19 $\frac{1}{2}$ "W x $\frac{1}{4}$ "H

Surface-to-Floor Screen



LAMINATE (HPL)

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 $\frac{3}{4}$ " with $\frac{3}{8}$ " glide adjustment to 29 $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

MATERIALS

- Aluminum painted frame
- HPL

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19 $\frac{1}{2}$ "W x $\frac{1}{4}$ "H

WRITABLE LAMINATE (HPL)

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 $\frac{3}{4}$ " with $\frac{3}{8}$ " glide adjustment to 29 $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces


MATERIALS

- Aluminum painted frame
- Writable HPL in Designer White

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19 $\frac{1}{2}$ "W x $\frac{1}{4}$ "H

Surface-to-Floor Screen



FABRIC

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 3/4" with 3/8" glide adjustment to 29 3/16"
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

MATERIALS

- Grade A-Infuse & Merge; Grade B-Pact; or COM
- Aluminum painted frame

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- 3/8" adjustable glide at surface height
- Foot is 6"D x 19 1/2"W x 1/4"H

PET

60", 72"H

DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28 3/4" with 3/8" glide adjustment to 29 3/16"
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

MATERIALS

- PET, 100% Polyester, Nordic Knit
- Aluminum painted frame

FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- 3/8" adjustable glide at surface height
- Foot is 6"D x 19 1/2"W x 1/4"H