


# Kimball®

## ESSENCE ULTRALEATHER® | ORIGINAL


FAUX LEATHER



3614 Stone




3617 White



3611 Light Oyster




3636 Chamois




3683 Pecan



3667 Taupe




3691 Pelican




3612 Red




3640 Garnet




3690 Papyrus



3693 Pine Cone



3663 Walnut



3647 Loden



3615 Dove Grey



3684 Charcoal



3692 Admiral



3679 Raven

Note: Refer to back of card for specifications.

## Specifications

Grade 6

Composition surface	100% Polycarbonate Polyurethane
backing	100% Reinforced Rayon
Width	54 in./137 cm.
Weight	Approx. 9.7 oz. per square yard
Thickness	Approx. 1.0 Millimetres
Repeat	None
Finish	None

## Performance

Abrasion	ASTM D4157 / 400,000 Double Rubs* BS 2543 / 180,000 Rubs** *Wyzenbeek **Martindale
Light Fastness	AATCC 16.3, 200 Hours, Grade 4-5
Hydrolysis	14+ Weeks ASTM D3690-02 Sect. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)
Color Fastness	AATCC Method 8, Class 5 Wet & Dry
Adhesion of Coating	ASTM D751
Tear Strength	ASTM D2261
Breaking Strength	ASTM D5034

## Flammability

ASTM E84 (Adhered)	Class A	FMVSS 302 & 95/28 Annex IV	Pass
CA TB 117-2013	Pass	UFAC	Class 1
NFPA 260	Class 1		

## Cleaning and Care Instructions

- Wipe up spills as soon as they occur
- Clean with soap and water or alcohol based cleaners
- Sanitize using (1:5) bleach/water solution or other approved disinfectants
- For stubborn stains, wipe off with isopropyl alcohol as soon as possible
- Thoroughly rinse all solution residue with clean water
- Air dry

## Sustainability

- GREENGUARD Gold Certified
  - Meets stringent chemical emission limits for various VOCs (ex. Formaldehyde)
  - Promotes healthier indoor air quality
  - Contributes towards satisfying credits under LEED® and BIFMA
  - Compliant with California Section 01350
- Compliant with Prop 65
- No Bisphenol A (BPA)
- No Conflict Minerals
- No Flame Retardants (Halogenated, Brominated: ex. PBDEs)
- No Heavy Metal Stabilizers
- No PFCs (Perfluorinated Chemicals)
- No Plasticizer Phthalates
- No POPs (Persistent Organic Pollutants)
- No PVC (Polyvinyl Chloride)
- No toxic by-products
- Over 99% of solvents recaptured and recycled