



Seating Upholstery Alliance Program

Maharam Customer Service 800.645.3943 or customerservice@maharam.com

Order memo samples through Maharam Customer Service, Alliance website page or www.maharam.com

All patterns not listed must be ordered as COM

This document is considered the most up-to-date listing of Maharam graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Abacus	K	2	01.21: 001 05.20: 002, 006, 008	54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Across	K	1	Restricted on Nash	100% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Akimbo	L	3	01.21: 001, 007 05.20: 004, 005	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Alloy	H	None	01.21: 014, 015 07.20: Colors 006, 009 discontinued immediately due to unforeseen closure 05.20: 003, 007, 010, 011	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Alter	J	1,2	01.21: 002, 003 05.20: 007	59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Ample	M	2		100% Polyester	None	Polyurethane Foam	No	TB133 Burn Test Required
Anagram	T	2,6	April 2021 Deletion Too Expensive w/Price Increase	42% Cotton, 32% Polyester, 26% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Apt	J	None		100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required

Patterns, pricing and availability are subject to change

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Article	E	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Beam	K	None	07.10.20: Color 007 discontinued immediately due to unforeseen closure	58% Polyester, 42% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Beck	I	3		78% Wool, 22% Nylon	NONE	NONE	No	TB133 Burn Test Required
Beryl	I	None		100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Beside	K	None	01.21: 001 04.19: 009	66% Polyester, 34% Cotton	Crypton	Crypton	No	TB133 Burn Test Required
Bitmap	G	1	01.21: 002 04.19: 003, 008, 009, 011	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Blip	R	2	01.21: 006, 007, 008 05.20: 004 04.19: 001	44% Rayon, 24% Solution-Dyed Nylon, 21% Post-Industrial Recycled Polyester, 11% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bluff	H	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Boundary	L	2	04.19: 009	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Bright Angle	N	2		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Cube	Q	2		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Grid	N	2		39% Cotton, 32% Polyester, 29% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brindle	C	None		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brio	H	None		55% Polyester, 29% Post-Industrial Recycled Polyester, 16% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Buffer	R	2		81% Post-Consumer Recycled Polyester, 19% Polyester	None	None	No	TB133 Burn Test Required
Bureau	Move from Gr E to Gr G April 2021	2		41% Polyester, 38% Post-Industrial Recycled Polyester, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Bushel	Move from Gr I to Gr J April 2021	3		45% Solution-Dyed Nylon, 45% Solution-Dyed Post-Industrial Recycled Nylon, 9% Polyester, 1% Polyolefin	None	Acrylic	No	TB133 Burn Test Required
Campana	K	3		85% Wool, 15% Nylon	None	None	No	TB133 Burn Test Required
Candid	F	1	04.19: 003	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Candor	F	None	Colors Discontinued immediately due to resource availability: 04.21: 019, 026 02.21: 003, 005, 007, 009, 028 01.21: 008, 020, 024 12.20: 002 11.20: 004 10.20: 016	70% Post-Industrial Recycled Cotton, 30% Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Caper	C	None		100% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Chalet	K	2	05.20: 003	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Chasm	I	1		100% Polyurethane	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Chassis	I	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Checker	Q	2		77% Cotton, 23% Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Chenille Cord	L	3	01.21: 006 05.20: 010, 018, 030 04.19: 032, 034, 035, 036	43% Solution-Dyed Post-Industrial Recycled Nylon, 42% Solution-Dyed Nylon, 13% Polyester, 2% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chime	Move from Gr F to Gr G April 2021	None	07.10.20: Color 004 discontinued immediately due to unforeseen closure 05.20: 007, 010, 018, 023, 033 04.19: 024, 025, 026, 027, 028, 029, 030	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Circuit	H	2		38% Rayon, 34% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coast	L	2		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Coin	Move from Gr G to Gr I April 2021	2	01.21: 004 04.19: 002	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coin Crypton	Move from Gr J to Gr L April 2021	2	05.20: 001 04.19: 002, 003, 004	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Coincide	K	2,5		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coincide High Performance	J	2	01.21: 004 04.19: 007, 010	100% Polyester	Stain Resistant	Impermeable	No	TB133 Burn Test Required
Colline	J	3		75% Wool, 17% Acrylic, 8% Nylon	None	None	No	TB133 Burn Test Required
Compound	I	None		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Conduit	C	None		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cosset	I	None		66% Acrylic, 34% Polyester	None	None	No	TB133 Burn Test Required
Cove	N	None		30% Polyester, 27% Linen, 25% Rayon, 18% Cotton	None	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Crew	I	1	07.10.20: Colors 001, 002, 005, 008 discontinued immediately due to unforeseen closure 04.19: 011	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Crush	K	3	01.21: 002, 013, 018, 023, 026, 027 05.20: 001, 005, 016, 019, 022	41% Solution-Dyed Nylon, 41% Solution-Dyed Post-Industrial Recycled Nylon, 15% Polyester, 3% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cycle	F	None	05.20: 004	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Disc	Move from Gr G to Gr I April 2021	2		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Ditto	M	2,5	01.21: 003, 012 05.20: 009 04.19: 013	77% Post-Consumer Recycled Polyester, 23% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Divide	Move from Gr G to Gr I April 2021	2	01.21: 009 05.20: 008	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Divide Crypton	Move from Gr K to Gr L April 2021	2	01.21: 001, 003, 004, 005, 006, 007	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Dwell	D	None		68% Post-Industrial Recycled Polyester, 32% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Latex	No	Approved
Edges	P	None		66% Cotton, 30% Solution-Dyed Nylon, 4% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Ellipsis	Move from Gr I to Gr J April 2021	None	05.20: 003, 007	100% Polyurethane	Protective Topcoat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Embed	I	None	Colors Discontinued immediately due to resource availability: 05.21: 017 02.21: 005 01.21: 001, 006 12.20: 008, 014 10.20: 019 09.20: 010 07.20: 009, 013	46% Cotton, 30% Solution-Dyed Polyester, 17% Post-Industrial Recycled Cotton, 7% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Emboss	K	None	05.20: 005, 006, 007 04.19: 001, 002, 003, 004, 009, 010, 011	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Emit	F	None		55% Post Industrial Recycled Polyester, 45% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Enmesh	H	2	5.20: 005	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Equate	Move from Gr N to Gr O April 2021	2		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Exchange	H	2	05.20: 006, 011	52% Post-Industrial Recycled Polyester, 48% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Fathom	Move from Gr L to Gr M April 2021	1,2	05.20: 007 04.19: 008, 010	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Feature	O	2		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Festoon	J	None		100% Non-Phthalate Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Flint	K	None		58% Polyester, 21% Post-Industrial Recycled Polyester, 15% Post-Consumer Recycled Polyester, 6% Polyolefin	None	Acrylic	No	TB133 Burn Test Required
Fluent Crypton	H	1	01.21: 002, 020 05.20: 004, 008, 015, 016	52% Polyester, 31% Post-Industrial Recycled Polyester, 17% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Flurry	N	None		35% Cotton, 25% Polyester, 10% Acrylic, 10% Rayon, 10% Wool, 8% Linen, 2% Nylon	None	None	No	TB133 Burn Test Required

Patterns, pricing and availability are subject to change

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Frequency	H	None		85% Polyester, 15% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Gallant	H	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	TB133 Burn Test Required
Gild	H	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Glen	D	None		48% Polyester, 34% Post-Industrial Recycled Polyester, 18% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Grove	M	1,2		56% Post Industrial Recycled Polyester, 44% Post Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Gust	G	None		100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Hearth	L	None		32% Wool, 31% Acrylic, 30% Cotton, 7% Polyester	None	None	No	TB133 Burn Test Required
Houndstooth	T	2		72% Cotton, 28% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Imbue	M	None		70% Rayon, 30% Polyester	None	None	No	TB133 Burn Test Required
Instill	G	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Keen	C	None		61% Polyester, 39% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	Approved
Knot	O	3	01.21: 006	51% Wool, 49% Acrylic	None	Acrylic	No	TB133 Burn Test Required
Lariat	C	None		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Lea	L	None		97% Solution-Dyed Acrylic, 3% Polyester	PFAS-FREE WATER REPELLENT	Acrylic	No	TB133 Burn Test Required
Lean	G	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Ledger	G	None	05.20: 022, 033, 035, 036, 039, 040 04.19: 034, 038	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Lens	Move from Gr N to Gr M April 2021	2	04.19: 001, 003	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Levity	H	None		100% Polyester	None	None	No	TB133 Burn Test Required
Lift	R	2		100% Polyester	None	None	No	Approved
Linden	I	None		61% Polyester, 19% Viscose, 16% Acrylic, 4% Wool	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required
Lineage	Move from Gr H to Gr I April 2021	1,2	05.20: 008 04.19: 001, 003, 004, 005, 001	100% Vinyl	Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Link	O	2	01.21: 001, 002	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Lithe	L	2, 3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved
Loop	F	2		48% Post-Industrial Recycled Polyester, 26% Polyester, 26% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Luce	J	3		75% Post-Consumer Recycled Wool, 20% Polyester, 5% Nylon	NONE	NONE	No	TB133 Burn Test Required
Lunar	F	2		57% Post Industrial Recycled Polyester, 43% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Manner	B	None	01.21: 010, 019 05.20: 007, 009, 018, 021	65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Mantle	F	None		59% Post-Consumer Recycled Polyester, 37% Polyester, 4% Spandex	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Marquee	Move from Gr F to Gr K April 2021	None	05.20: 005	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Massive Paisley	R	None. Non-matched pattern		76% Polyester, 24% Cotton	None	None	No	TB133 Burn Test Required
Mechanism	O	2	01.21: 003, 014, 016	100% Polyester	None	None	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Medium	Move from Gr C to Gr E May 2021	None	05.20: 006, 054	100% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Meld	B	None	Restricted due to Transparency: 10 and 11 05.20: 007 04.19: 002	68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Meridian	K	2		54% Cotton, 46% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Merit	E	None		76% Post-Consumer Recycled Polyester, 24% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Messenger	B	None	01.21: 006, 010, 052, 059, 068 05.20: 004, 006, 008	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Metric	B	None	01.21: 005, 007, 009, 015, 019 05.20: 004, 006, 008	51% Post-Industrial Recycled Polyester, 49% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Micro	F	None	05.20: 005 04.19: 010	100% Vinyl	Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Milestone	C	None	05.20: 029, 062, 077	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Mimic	L	None	05.20: 012 04.19: 013, 014	100% Polyurethane	None	Polyester	Varies by color	TB133 Burn Test Required
Mineral	H	3	01.21: 002, 003, 005, 006, 007, 008, 014 07.10.20 Color 018 discontinued immediately due to unforeseen closure 05.20: 016, 017 04.19: 001, 009, 010, 011, 012, 013, 015	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Mode	C	None		80% Post Consumer Recycled Polyester, 20% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Motley	Move from Gr G to Gr H April 2021	2	01.21: 009	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Multiply	H	2		57% Post-Consumer Recycled Polyester, 43% Post Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Murmur	B	None		100% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Muse	B	None	Restricted Due to Transparency: 005, 007, 011	100% Post-Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Nimble	I	None		100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Offset	S	2,3,5		40% Cotton, 36% Solution-Dyed Nylon, 24% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Orbit	H	2		52% Post-Consumer Recycled Polyester, 46% Polyester, 2% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Pallet	D	None		100% Non-Phthalate Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Pepper	G	None		49% Polyester, 41% Post-Industrial Recycled Polyester, 10% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Pick	Move from Gr F to Gr H April 2021	2		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Pick Crypton	Move from Gr J to Gr K April 2021	2	04.19: 002, 004, 006, 010	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Pinnacle	Q	2		47% Post-Industrial Recycled Polyester, 27% Nylon, 26% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Pitch	G	None	09.20: 001, 002, 008, 010, 022, 027, 028 05.20: 008, 013 04.19: 003, 006, 023, 025	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Plait	Move from Gr I to Gr J April 2021	2	01.21: 004, 007 04.19: 003	53% Post-Industrial Recycled Polyester, 32% Polyester, 15% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Pocket	Move from Gr M to Gr N April 2021	2	05.20: 002, 004	56% Post-Consumer Recycled Polyester, 24% Solution-Dyed Nylon, 20% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Prime	J	None		100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Prompt	G	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Province	I	None		52% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester, 20% Polyester	None	None	No	TB133 Burn Test Required
Rail	I	None		84% Post-Consumer Recycled Polyester, 16% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Reel	Q	2	01.21: 006, 009 05.20: 001	43% Solution-Dyed Nylon, 36% Cotton, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Regatta	L	2	05.20: 003, 005	65% Solution-Dyed Acrylic, 35% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Relay	P	2		100% Polyester	None	Polyester	No	TB133 Burn Test Required
Rill	L	2		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Roster	I	2		68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Rove	F	2	01.21: 003, 004, 006, 013 03.20: 005, 009 04.19: 010, 015, 017	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Rule	P	2	05.20: 005	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Runner	Move from Gr P to Gr Q April 2021	1,2		57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Runner Standard	L	2		57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Salon	M	3,5	01.21: 006, 011, 021, 022, 023 05.20: 009, 016, 018, 024	92% Wool, 8% Nylon	None	None	No	TB133 Burn Test Required
Scuba	H	None	05.20: 004, 018	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Scute	Move from Gr N to Gr O April 2021	2	01.21: 005 07.10.20 Color 002, 004 discontinued immediately due to unforeseen closure	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Scuttle	H	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Sequence	Move from Gr J to Gr K April 2021	2	05.20: 002	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Sendal	K	2		54% Polyester, 46% Post-Consumer Recycled Polyester	PFAS-FREE WATER REPELLENT	Acrylic	No	TB133 Burn Test Required
Shadow	H	None		41% Post-Consumer Recycled Polyester, 37% Post-Industrial Recycled Polyester, 22% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Sheen	I	None	04.19: 001, 006, 008, 012, 013, 014, 015	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Sift	N	None		43% Cotton, 33% Polyester, 9% Rayon, 8% Linen, 7% Nylon	None	None	No	TB133 Burn Test Required
Skein	Move from Gr F to Gr H April 2021	None	05.20: 005	56% Post-Consumer Recycled Polyester, 44% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Soft Tweed	N	None	05.20: 001, 006, 007	44% Linen, 22% Cotton, 20% Acrylic, 8% Bamboo Viscose, 6% Nylon	None	None	No	TB133 Burn Test Required
Sort	F	None	07.10.20 Color 009 discontinued immediately due to unforeseen closure	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Span	L	2, 3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved
Splay	G	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Spry	F	2	Colors Discontinued immediately due to resource availability: 05.21: 005 01.21: 008	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Stature	G	None	04.19: 006, 012	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Steady	H	5	01.21: 001 05.20: 008 03.20: 002 04.19: 003, 010	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Steady Crypton	K	1	01.21: 001, 011 05.20: 004, 005 03.20: 002 04.19: 010	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Strum	I	None	05.20: 005, 009 04.19: 003	100% Polyurethane	None	Polyester/ Cotton	Varies by color	TB133 Burn Test Required
Sundry	L	None		30% Post-Consumer Recycled Polyester, 20% Solution-Dyed Nylon, 18% Rayon, 16% Polyester, 16% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Switch	I	None		100% Polyester	None	None	No	TB133 Burn Test Required
Swivel	Q	2		42% Polyester, 29% Cotton, 29% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Tend	I	None		55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Tilt	Move from Gr N to Gr P April 2021	2	05.20: 001, 003, 004	56% Cotton, 35% Polyester, 9% Rayon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trait	I	3,5	01.21: 020 05.20: 009, 016 04.19: 001, 019, 022, 023	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Transport	N	None	04.19: 003, 004	48% Rayon, 32% Polyester, 20% Linen	PFOA-Free Stain Resistant	Polyester	No	TB133 Burn Test Required
Trees	N	2	05.20: 001, 003, 004, 005, 007, 008, 009	55% Cotton, 28% Nylon, 17% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trellis	K	None		50% Solution-Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trio	M	2	04.19: 003, 005, 006	76% Cotton, 24% Solution-Dyed Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Trundle	C	None		59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Twice	L	2		48% Polyester, 23% Rayon, 15% Cotton, 9% Post-Industrial Recycled Polyester, 5% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Urban	R	1,2	Colors discontinued immediately due to unforeseen closure: 08.03.20: 007 07.10.20: 001, 003 05.20: 002	90% Polyester, 10% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Valor	M	3		85% Wool, 15% Nylon	None	None	No	TB133 Burn Test Required
Veer	F	None		43% Post-Industrial Recycled Polyester, 34% Polyester, 23% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Vestige	Move from Gr P to Gr T April 2021	2	Colors discontinued immediately due to unforeseen closure: 10.20: 008 08.20: 006 07.20: 005 05.20: 001, 003, 007	71% Polyester, 29% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Waver	I	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Wend	D	None		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Willow	H	None		61% Polyester, 39% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Wool Rib	N	None	05.20: 001, 007	38% Cotton, 29% Acrylic, 19% Wool, 7% Alpaca, 7% Nylon	None	None	No	TB133 Burn Test Required
Wrap	Move from Gr H to Gr I April 2021	2	05.20: 001 04.19: 008	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required