

Seating Fabric Alliance Program

Order memo samples through Maharam customer service, our website alliance page or visit www.maharam.com.  
 Maharam Customer Service: 800.645.3943  
 All patterns not listed must be ordered as a COM.

**TB133 Info**

TB133 results are based on the contents of the sample evaluated. Fabric content and characteristics may be changed by fabric supplier without notice. These changes may alter the evaluation results. Kimball Office is not responsible for any fabric changes that alter the evaluation results. Customers need to confirm that the content has not changed from what is listed below.

chair combinations. Review specific series for TB133 approval status.

**APPLICATION GUIDELINES**

Please note that Guidelines 1-4 are explanations of characteristics that you may see on your chair due to the construction of the fabric. We can still upholster fabrics associated with these guidelines, however, you may see some of the characteristics described.

- 10 may result in gathers and puckers around corners, contours and certain seams.
- 11 y not be aligned. Examples: decorative stitching, tufting/buttons, seams, seat to back match, etc.
- 12 ) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
- 13 bruised or have the potential of crooked seams due to the heavy nap and flip.

**Fabric Restriction Guidelines**

- 16 5 and 6 prevent us from upholstering the applicable chair series.
- 17 adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
- 18 files cannot be used due to potential fabric separation at the seams.

21	Pattern Name	Grade	Application Guidelines	Deletions	TB133 Status	Contents	Finish	Backing	FR's added
22	Abacus	K	2		TB133 Burn Test Required	54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No

	A	B	C	D	E	F	G	H	I
23	Abacus Standard	H	2		Approved	54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
24	Acre	H	None	1/15: 001,004,005,006,007,008,009,012,013. 6/21/2017 Delete all colors, per Maharam	Approved	59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	Nanotex®	Durablock™	No
25	Across	K	1		TB133 Burn Test Required	100% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	Yes
26	Akimbo	L	3	7/09: 006 3/18: 003	Approved	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No
27	Align	K	None	Jan. 2017 Pattern Deletions	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	No
28	Alloy	H	None		TB133 Burn Test Required	100% Polyurethane	None	Polyester	No
29	Alpaca Herringbone	O	None	1/14: 002	TB133 Burn Test Required	% Polyester, 30% Alpaca, 30% Wool, 5% Cott	None	None	No
30	Alter	J	1,2		Approved	59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
31	Anagram	T	2		TB133 Burn Test Required	42% Cotton, 32% Polyester, 26% Nylon	PFOA-Free Stain Resistant	Acrylic	No
32	Apt	J	None		TB133 Burn Test Required	100% Silicone	None	Polyester	No
33	Article	E	None	10/6: 001,003,006,007,010,016 10/1: 030 3/2018: 002,004,005,009,011,012,017,018,020,021,023,024,025,027,028	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes

	A	B	C	D	E	F	G	H	I
34	Balustrade	L	2	Jan. 2017 Pattern Deletions	Approved on open arm models only	51% Polyester, 33% Cotton, 16% Rayon	PFOA-Free Stain Resistant	Acrylic	No
35	Banister	Q	2		Approved on open arm models only	100% Vinyl with Antimicrobial	Stain Resistant	Polyester	Yes
36	Bar	C	2		Approved	60% Post-Consumer Recycled Polyester, 40% Post-Industrial Recycled Polyester	Stain Resistant	Acrylic	No
37	Bar Crypton	K	2	4/19: 001, 002, 003, 004, 005, 007	TB133 Burn Test Required	60% Post-Consumer Recycled Polyester, 40% Post-Industrial Recycled Polyester	Crypton® Green	Crypton® Green	No
38	Beam	K	None	1/17: 002,005,009 8/16: 003 6/15: 004 6/21/2017: 001,006,008	Approved	58% Polyester, 42% Rayon	PFOA-Free Stain Resistant	Acrylic	No
39	Before	L	2	Jan. 2017 Pattern Deletions	Approved	48% Polyester, 26% Post-Consumer Recycled Polyester, 26% Post-Industrial Recycled Polyester	Stain Resistant	Acrylic	
40	Beside	K	None	8/16:003, 004, 005 11/9: 002 3/18: 006,008 4:19 009	TB133 Burn Test Required	66% Polyester, 34% Cotton	Crypton®	Crypton®	Yes
41	Bevel	H	2	1/17: 001,002,006,012 8/16: 004,005 1/16: 007,009 ,011 3/18: 003,008,	Approved	63% Polyester, 24% Post-Consumer Recycled Polyester, 13% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Polyester	No
42	Bitmap	F	1	1/17: 001 8/16: 004 6/15: 013 4:19 003,008,009,011	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
43	Blip	Q	2	8/16: 003 6/16: 005 3/18: 002 4/19 001	TB133 Burn Test Required	44% Rayon, 24% Nylon, 21% Post-Industrial Recycled Polyester, 11% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
44	Bound	H	1, 2	Jan. 2017 Pattern Deletions	Approved	43% Post-Industrial Recycled Polyester, 31% Post-Consumer Recycled Polyester, 26% Polyester	Stain Resistant	None	No

	A	B	C	D	E	F	G	H	I
45	Boundary	L	2	"4/19: 009 6/18: 007 1/17: 002"	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
46	Bridge	H	1	8/16: 007 6/14: 001,003,005 12/12: 006 1/12: 002 3/18: 004	Approved	90% Post-industrial recycled polyester 10% Post-consumer recycled polyester	Stain Resistant	None	No

	A	B	C	D	E	F	G	H	I
47	Bright Angle	N	2		TB133 Burn Test Required	40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No
48	Bright Cube	Q	2		TB133 Burn Test Required	40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No
49	Bright Grid	N	2		TB133 Burn Test Required	39% Cotton, 32% Polyester, 29% Nylon	PFOA-Free Stain Resistant	Acrylic	No
50	Brim	S	2	Deleted 1/2/2017	TB133 Burn Test Required	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No
51	Brindle	C	None		TB133 Burn Test Required	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No
52	Brio	G	None		TB133 Burn Test Required	55% Polyester, 29% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Crypton	Crypton	No
53	Bureau	E	2		TB133 Burn Test Required	41% Polyester, 38% Post-Industrial Recycled Polyester, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
54	Bushel	I	3		TB133 Burn Test Required	45% Solution Dyed Nylon, 29% Post Industrial Recycled Poly, 16% Pst Consumer Recycled Poly	None	Acrylic	No
55	Candid	F	1	1/15: 004 008 4/19: 003	1/14: Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
56	Candor	F	None						
57	Canvas	I	3		TB133 Burn Test Required	90% Wool, 10% Nylon	None	None	No

	A	B	C	D	E	F	G	H	I
58	Caper	C	2		Approved	100% Post Consumer Recycled Polyester	FOA-Free Stain Resistant	Acrylic	No
59	Cartouche	L	2	1/16: 005 6:15: 007 7/13: 001,002,006,008 12/12: 009	Approved	58% Post-consumer recycled polyester 42% Polyester	PFOA-Free Stain Resistant	Acrylic	No
60	Centric	K	2	Moved out of Grade pricing due to price increase	Approved	34% Rayon, 33% Cotton, 33% Polyester	PFOA-Free Stain Resistant	Acrylic	No
61	Certain	K	1	Jan. 2017 Pattern Deletions	TB133 Burn Test Required	44% Polyester, 36% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No
62	Chalet	K	2		TB133 Burn Test Required	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No
63	Chance	K	None	1/17: 007 3/18: 002,003,008	TB133 Burn Test Required	62% Cotton, 33% Polyester, 5% Rayon	Crypton®	Crypton®	Yes
64	Chasm	I	1		TB133 Burn Test Required	100% Polyurethane	Protective Top Coat	Polyester	No
65	Chassis	I	3		Approved	50% Solution-Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	PFOA Free Stain Resistant	Acrylic	No
66	Checker	Q	2	3/16: 003 1/16: 006 6/15: 002 6/14: 003	TB133 Burn Test Required	77% Cotton, 23% Polyester	Stain Resistant	None	No
67	Chenille Cord	L	3	6/21/2017: 033 1/16: 009 1/15: 023, 025, 026 6/14: 012 1/14: 027 028 7/13: 029 001 002 003 005 007 008 011 013 014 015 016 017 019 020 024 7.1.10: 022 1.11: 021 3/18: 031	TB133 Burn Test Required	88% Solution-Dyed Nylon, 11% Polyester, 1% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No

	A	B	C	D	E	F	G	H	I
68	Chime	F	None	1/17: 006, 008 4/19: 024,025,026,027,028,029,030,03 2,034,035,036 8/16: 013, 014, 015 6/15: 016 1/15: 001, 009, 017, 021 6/14: 005 3/18: 002	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
69	Chock	K	2	3/18: 006 4:19: 003,005	TB133 Burn Test Required	36% Rayon, 35% Cotton, 29% Solution-Dyed Post-Industrial Recycled Nylon	Stain Resistant	Acrylic	No
70	Cinch	G	None	August 2016 Pattern Deletion	Approved	67% Post-industrial recycled polyester 28% Post-consumer recycled polyester 5% Polyester	Stain Resistant	Acrylic	No
71	Cipher	K	2	Jan. 2017 Pattern Deletions	Approved on open arm models only	54% Polyester, 46% Rayon	PFOA-Free Stain Resistant	Acrylic	No
72	Circuit	H	2	6/14: 001, 002, 003, 005, 006, 008, 009, 010 7/13: 004	Approved	38% Rayon, 34% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
73	Coast	L	2		Approved	100% Vinyl	Antimicrobial Ink resistant protective top coat	Polyester	No
74	Coin	C	2	4/19: 002	Approved	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
75	Coin Crypton	J	2	4:19: 002,003,004	TB133 Burn Test Required	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No
76	Coincide	K	2,5 - This fabric is not available on Xtreme upholstered back models		Approved	100% Polyester	Stain Resistant	Acrylic	No
77	Coincide High Performance	J	2	4:19: 007,010	TB133 Burn Test Required	100% Polyester	Antimicrobial - Stain Resistant	Impermeable	No

	A	B	C	D	E	F	G	H	I
78	Colline	J	3		TB133 has not been evaluated	75% Wool, 17% Acrylic, 8% Nylon	None	None	No
79	Commentary	I	2	8/16: 002, 003, 008 6/15: 009, 011 1/15: 006, 007 6/14: 004 3/18: 001,005,010	Approved	91% Polyester, 6% Post-Industrial Recycled Polyester, 3% Post-Consumer Recycled Polyester	Nanotex®	Durablock™	No
80	Compound	I	None		TB133 Burn Test Required	100% Polyurethane with Silane-Based Antimicrobial	Stain Resistant	Polyester	No
81	Conduit	C	None		TB133 Burn Test Required	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No
82	Couple	M	1,2	8/16: 001, 002, 003, 004, 005 1/16: 009 6/14: 008 3/18: 007,010	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	Yes
83	Cover	K	1	6/21/2017: All colors 1/17: 008 6/15: 001, 004, 005, 006, 007 1/14: 002	TB133 Burn Test Required	100% Polyester	Antimicrobial Stain Resistant	Impermeable	No
84	Crew	I	1	4/19: 011	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	Yes
85	Crush	K	3	8/16: 011 6/15: 010 9/14: 021 6/14: 006, 012, 014, 015 1/14: 004 12.12: 003 7.12: 007 1.11: 009 3/18: 024,025	TB133 Burn Test Required	85% Solution-Dyed Nylon, 13% Polyester, 2% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No
86	Cycle	F	None		Approved on open arm models only	100% Vinyl	Polyester	Protective Topcoat	Yes



	A	B	C	D	E	F	G	H	I
87	Dart	K	None	12.12: 009 012 013 7.12: 003 008 010 015 3/18: 001 4/19: 005,007,011,019,021	TB133 Burn Test Required	63% Polyester, 37% Cotton	Crypton®	Crypton®	Yes
88	Dash	I	None	1/14: 002 003 004 005 006 3/18: 001	Approved	57% Post-Consumer Recycled Polyester, 43% Post-Industrial Recycled Polyester	Stain Resistant	Acrylic	No
89	Decode	L	3	4/29: 012,013,014,015 6/21/2017: 016 6/14: 002, 004, 010 1/14: 011 12.12: 005 1.12: 003 7/09: 009 12/08: 008 3/18: 001	Approved	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No
90	Defer	G	1,2 This fabric is shown and applied railroaded.	1/17: 001 8/16: 002, 006, 007, 008, 009 6/14: 004 1/09: 003 3/18: 005	Approved on open arm models only	40% Post-Consumer Recycled Polyester, 32% Post-Industrial Recycled Polyester, 28% Cotton	Stain Resistant	None	No
91	Disc	C	2		Approved	100% Polyester	Stain Resistant	Acrylic	No
92	Disc Crypton	J	2	April 2019 Deletions	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	No
93	Disperse	I	None	6/21/2017: 008 8/16: 001 1/14: 011 012 7/13: 004	Approved	100% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
94	Ditto	M	2,5 - This fabric is not available on Xtreme upholstered back models	6/21/2017: 006 8/16: 005, 008 4/19: 013 1/16: 011 6/14: 004, 007	Approved on open arm models only	77% Post-Consumer Recycled Polyester, 23% Solution-Dyed Nylon	PFOA-Free Stain Resistan	Acrylic	No
95	Divide	C	2		Approved	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
96	Divide Crypton	K	2	3:18 009	TB133 Burn Test Required	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No

	A	B	C	D	E	F	G	H	I
97	Divina	L	3		Approved	100% Wool	None	None	No
98	Divina MD	K	3		Approved	100% Wool	None	None	No
99	Divina Melange	L	3	1/17: 621 220 (replacement is 227) 5/13:	Approved	100% Wool	None	None	No
100	Division	G	2	Jan. 2017 Pattern Deletions	Approved	58% Post-Industrial Recycled Polyester, 42% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
101	Dwell	D	None		Approved	68% Post Recycled Polyester, 32% Post Consumer Polyester,		Latex	No
102	Elipsis	I	None		TB133 Burn Test Required	100% Polurethane	Protective Top Coat	Polyester	No
103	Edges	P	None		TB133 Burn Test Required	66% Cotton, 30% Solution-Dyed Nylon, 4% Polyester	PFOA- Free Stain Resistant	Acrylic	No
104	Emblem	K	2,3	Jan. 2017 Pattern Deletions	Approved	50% Solution-Dyed Nylon, 50% Solution- Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistan	Acrylic	No
105	Embeded	I	None		TB133 Burn Test Required	48% Cotton, 30 % Solutino Dyed Polyester,17% Post Industrial Recycled Cotton 7% Polyster	PFOA-Free Stain Resistan	Acrylic	No
106	Emboss	K	None	4:19: 001,002,003,004,009,010,011	Approved on open arm models only	100% Polyurethane	None	Polyester	NO
107	Emit	F	None		Approved	55% Post-Industrial Recycled Polyester, 45% Post- Consumer Recycled Polyester	PFOA- Free Stain Resistant	None	NO

	A	B	C	D	E	F	G	H	I
108	Enmesh	H	2		Approved on open arm models only	100% Vinyl	Antimicrobial Inl-Resistant Protective Topcoat	Polyester	Yes
109	Equate	N	2		Approved on open arm models only	100% Vinyl	Protective Top Coat	Polyester	Yes
110	Exchange	H	2	6/15: 005 1/15: 003 7/13: 009	Approved	52% Post-Industrial Recycled Polyester, 48% Post-Consumer Recycled Polyester	Stain Resistant	None	No
111	Fathom	L	1,2	1/16:009 6/15: 011, 012 1/15: 006 4/19: 008,010	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
112	Feature	O	2	"6/7/18: Reactivated Available Colors: 466343_001 SHITAKE and 466343_004 STORM only."	Approved	100% Vinyl	Protective Top Coat	Polyester	No
113	Fiddle	O	1,2	6/21/2017: All colors 6/15: 001, 007, 008, 009, 010 1/15: 002, 005	TB133 Burn Test Required	63% Post-Consumer Recycled Polyester, 37% Polyester	Crypton® Green	Crypton® Green	NO
114	Floret	O	1	6/21/2017: 002 8/16: 004 7/13: 007	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	Yes
115	Fluent Crypton	H	1	6/21/2017: 005 1/17: 007 4/19: 001,005 8/16: 006 3/18: 003,010,011	TB133 Burn Test Required	52% Polyester, 31% Post-Industrial Recycled Polyester, 17% Post	Crypton®	Crypton®	No
116	Focus	F	None	6/21/2017: 003 8/16: 005 4/19: 001,004,006,008,011	Approved	54% Post-Industrial Recycled Polyester, 33% Polyester, 13% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
117	Forest Nap	G	3	3/7: Colors that have been restricted on 102,452,512	Approved	95% Wool, 5% Nylon	None	None	No
118	Fraction	M	1	4/19: 001,005	Approved on open arm models only	100% Vinyl with Antimicrobial	Stain Resistant	Polyester	Yes

	A	B	C	D	E	F	G	H	I
119	Frequency	H	None						No
120	Furrow	N	2		Approved	57% Polyester, 28% Post-Industrial Recycled Polyester, 15% Post-Consumer Recycled Polyester	Crypton®	Crypton®	No
121	Galaxy	K	None		Approved	100% FR Polyester	None	None	Yes
122	Gild	H	None		Approved on open arm models only	100% Vinly	Stain Resistant	Polyester	No
123	Grove	M	1,2		TB133 has not been evaluated	56% Post-Industrial Recycled Polyester, 44% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No
124	Hallingdal	L	3		TB133 Burn Test Required	70% Wool, 30% Rayon	None	None	No
125	Hedge	L	2		TB133 has not been evaluated	55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	Acrylic	PFOA-Free Stain Resistant	NO
126	Herringbone Stripe	Q	2,3		Approved	100% Wool	None	None	No
127	Highfield	N	2	April 2019 Deletions	TB133 Burn Test Required	100% Trevira CS Polyester	None	Polyurethane	Yes
128	Houndstooth	T	2		TB133 Burn Test Required	72% cotton, 28% Nylon			No
129	Hum	H	None	Entire pattern, deleted by Supplier 7/16/19	Approved	73% Polyester, 27% Post-Consumer Recycled Polyester	None	None	No

	A	B	C	D	E	F	G	H	I
130	Imbue	M	None		TB133 Burn Test Required	70% Rayon, 30% Polyester	None	None	
131	Instill	G	None		TB133 Burn Test Required	100% Polyurethane	Ink-Resistant Protective Top coat	Polyester	No
132	Keen	C	None		Approved	61% Polyester, 39% Polyclefin	PFOA-Free stain resistant	Acrylic	No
133	Kindred	S	1,2		TB133 Burn Test Required	90% Polyester, 10% Rayon	Crypton®	Crypton®	Yes
134	Knot	O	2	3/18: 002,005	TB133 has not been evaluated	51% Wool, 49% Acrylic	None	Acrylic	No
135	Lariat	C	None	6/23/2017: 017	Approved on open arm models only	100% Vinyl	None	Polyester	Yes
136	Lean	G	None		Approved on open arm models only	100% Vinyl	Ink resistant top coat	Polyester	No
137	Ledger	G	None	4/19: 034,038 1/16: 007, 018 1/15: 005, 008, 013, 015, 021, 024 6/14: 011, 014, 023 7/13: 009, 016 7.12: 010 5/09: 012 3/18: 006,019	TB133 Burn Test Required	100% Polyurethane	None	Polyester	No
138	Lens	N	2	4/19: 001,003	Approved on open arm models only	100% Vinyl	Anitmicrobial Ink-resistant topcoat	Polyester	No
139	Lineage	H	1,2	4/19: 001,003,004,005,001, 6:18 006,012	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes

	A	B	C	D	E	F	G	H	I
140	Lift	R	2		Approved	100% Polyester	None	None	No
141	Link	O	2		TB133 Burn Test Required	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No
142	Lithe	L	2,3		Approved	50% Solution Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	None	Acrylic	No
143	Loop	F	2		TB133 Burn Test Required	48% Post-Industrial Recycled Polyester, 26% Polyester, 26% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
144	Lunar	F	2		Approved	57% Post Industrial recycled polyester, 43% Post consumer Recycled Polyester	Acrylic	No	No
145	Manner	B	None		Approved	65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
146	Marquee	F	None		Approved	100% Polyester	Stain Resistant	Acrylic	Yes
147	Massive Paisley	R	None	1/16: 004 1/14: 002 3/18: 005	TB133 not approved	76% Polyester; 24% Cotton	None	None	No
148	Matrix	L	4		TB133 Burn Test Required	100% Trevira CS Polyester	None	None	No
149	Meander	O	1,2	Jan. 2017 Pattern Deletions	TB133 Burn Test Required	62% Post-Consumer Recycled Polyester, 38% Polyester	Antimicrobial Stain Resistant	Impermeable	No
150	Mechanism	O	2	2/16: 006, 008, 009	Approved	100% Polyester	None	None	No

	A	B	C	D	E	F	G	H	I
151	Medium	B	None	6/14: 030, 031, 033, 034, 035, 037, 038, 041, 042, 043 7.1.10: 015 005 009 010 011 018 019 020 021 023 024 025 026 027 028	Approved	100% Polyester	Stain Resistant	None	No
152	Meld	B	None		Approved	68% Post Recycled Polyester, 32% Post Consumer Polyester,	PFOA Free Stain Resistant	None	No
153	Memory	K	None		Approved	100% Trevira CS Polyester	None	None	No
154	Meridian	K	2	6/14: 001 1/14: 003 7.12: 002 3/18: 004, 005 4/19: 002	Not approved	54% Cotton, 46% Polyester	PFOA-Free Stain Resistant	Acrylic	No
155	Merit	E	None		Approved	76% Post Consumer Recycled Polyester, 24% Polyester	PFOA-Free Stain Resistant	None	No
156	Messenger	B	None	1/17: 047 6/14: 027, 043, 049, 055, 056, 057, 075 1/14: 073 074 7/13: 065 7.12: 064 7/11: 030 042 7.1.10: 012 032 034 036 044 002 003 004 005 009 011 013-023 026 028 033 035 037 039	TB133 Burn Test Required	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No
157	Metric	B	None	6/14: 016	Approved	51% Post-Industrial Recycled Polyester, 49% Polyester	PFOA-Free Stain Resistant	None	No
158	Micro	F	None	8/16: 002 4/19: 010 1/15: 003	Approved on open arm models only	100% Vinyl	Stain Resistant	Polyester	Yes
159	Milestone	B	None	1/15: 073 6/14: 070, 074, 075, 076 7.1.10: 024 030 048 068 001-021 023 027 028 032-045 049-053 056 059 060 063 064 066 067 3/18: 065	TB133 Burn Test Required	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No
160	Mimic	L	None	4/19: 013,014	TB133 Burn Test Required	100% Polyurethane with Silane-Based Antimicrobial	Stain Resistant	Polyester	No

	A	B	C	D	E	F	G	H	I
161	Mineral	H	3	4/19: 001,009,010,011,012,013,015	TB133 Burn Test Required	100% Polyurethane	Stain Resistant	Polyester	No
162	Minimal	J	5 - This fabric is not available on Xtreme upholstered back models	April 2019 Deletions	TB133 Burn Test Required	100% Polyurethane with Silver-Based Antimicrobial	None	Polyester	No
163	Mister	T	2	Deleted 1/29/19 All colors	TB133 has not been evaluated	67% Solution-Dyed Acrylic, 33% Solution- Dyed Polyester	Stain Resistant	None	No
164	Mode	C	None		Approved	80% Post Consumer Recycled Polyester, 20% Polyester	PFOA-Free Stain Resistant	None	No
165	Motley	G	2		Approved on open arm models only	100% Vinyl	Antimicrobial ink-resistant protective topcoat	Polyester	Yes
166	Multiply	H	2		Approved	57% Post Consumer recycled polyester, 43% Post Industrial recycled polyester	PFOA- Free Stain Resistant	Acrylic	No
167	Murmur	B	None		Approved	100% Polyester	PFOA- Free Stain Resistant	None	No
168	Muse	B	None	"Restricted Due to Transparency: 466487_005 466487_007 466487_011"	TB133 Burn Test Required	100% Post-Consumer Recycled Polyester	None	None	No
169	Oblique	C	2		Approved	100% Polyester	Stain Resistant	Acrylic	No
170	Octave	M	2	1/17: 005 4/19: 002,003,006,008 1/16: 010	TB133 Burn Test Required	65% Sunbrella Solution-Dyed Acrylic, 35% Sunbrella Solution-Dyed Polyester	Stain Resistant	None	No



	A	B	C	D	E	F	G	H	I
171	Offset	S	2,3,5-This fabric is not available on Xtreme upholstered back models		TB133 Burn Test Required	40% Cotton, 36% Nylon, 24% Wool	PFOA-Free Stain Resistant	Acrylic	No
172	Omen	J	None	April 2019 Deletions	Approved	75% Polyester, 16% Post-Industrial Recycled Polyester, 9% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
173	Orbit	H	2		Approved	52% Post-Industrial Recycled Polyester, 48% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
174	Outback By Kvadrat	L	3	April 2019 Deletions	TB133 Burn Test Required	80% Wool, 20% Nylon	None	None	No
175	Parquet	R	1,2		TB133 Burn Test Required	100% Polyester	Crypton	Crypton	No
176	Paver	K	None	1/17: 004 6/23/2017: 008,009,010 8/16: 003, 007 6/15: 005, 006, 016 3/18:001,011,014,015	TB133 Burn Test Required	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No
177	Pennant	S	2	Moved out of Grade pricing due to price increase	Approved	48% Cotton, 26% Post-Industrial Recycled Polyester, 14% Post-Consumer Recycled Polyester, 12% Polyester	Stain Resistant	Acrylic	No
178	Pepper	G	None		TB133 Burn Test Required	49% Polyester, 41% Post-Industrial Recycled Polyester, 10% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
179	Pick	C	2		Approved	100% Polyester	Stain Resistant	Acrylic	No
180	Pick Crypton	J	2	4/19: 002,004,006,010	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	No
181	Pinnacle	Q	2						

	A	B	C	D	E	F	G	H	I
182	Pitch	G	None	4/19: 003,006,023,025	Approved on open arm models only	100% Vinyl	Antimicrobial Stain and Ink Resistant	Polyester	Yes
183	Plait	H	2	4/19: 003	Approved	53% Post-Industrial Recycled Polyester, 32% Polyester, 15% Post-Consumer Recycled Polyester	Stain Resistant	None	No
184	Plait High Performance	I	2		Approved	40% Post-Industrial Recycled Polyester, 31% Polyester, 29% Post-Consumer Recycled Polyester	Nanotex®	Durablock™	No
185	Pocket	L	2		TB133 has not been evaluated	56% Post-Consumer Recycled Polyester, 24% Nylon, 20% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
186	Prime	J	None		TB133 Burn Test Required	100% Solution Dyed Polyolefin with Silver Based Antimicrobial	PFOA- Free Stain Resistant	None	No
187	Prompt	G	3						
188	Quick	F	1	6/15: 002 6/14: 001, 004, 005, 006, 008, 010, 011, 012 1/14: 003 007 013	Approved on open arm models only	100% Vinyl		Antimicrobial Stain Resistant	Polyester
189	Radiant	M	2	1/17: 003, 005, 006 4?19: 004 1/15: 007 6/14: 001, 002 3/2018: 008	TB133 Burn Test Required	48% Rayon, 29% Polyester, 21% Wool, 2% Nylon	PFOA-Free Stain Resistant	Acrylic	No
190	Raas	J	3		TB133 Burn Test Required	92% Wool, 8% Nylon	None	None	No
191	Recollection	J	1	6/14: 002, 003, 007, 011 7/13: 009 3/18: 001,004,005,006,008,010	TB133 Burn Test Required	55% Cotton, 45% Polyester	Antimicrobial Stain Resistant	Impermeable	
192	Recheck	J	2,3		TB133 Burn Test Required	90% Wool, 10% Nylon	None	None	No

	A	B	C	D	E	F	G	H	I
193	Reel	P	2	6/23/17: 002,003,004 1/17: 005, 008	TB133 has not been evaluated	4% Nylon, 36% Cotton, 21% Polyester	PFOA-Free Stain Resistant	Acrylic	No
194	Regatta	L	2		TB133 Burn Test Required	65% Sunbrella Solution-Dyed Acrylic, 35% Sunbrella Solution-Dyed Polyester	Stain Resistant	None	No
195	Relay	P	2		TB133 Burn Test Required	100% Polyester	None	Polyester	No
196	Remix	J	3,5-This fabric is not available on Xtreme upholstered back models		TB133 Burn Test Required	90% Wool, 10% Nylon	None	None	No
197	Ring	J	2	"4/19: 002, 005, 006, 007, 009 6/17: 001 1/17: 003, 008"	Approved	48% Polyester, 34% Post-Industrial Recycled Polyester, 18% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
198	Roster	I	2		TB133 Burn Test Required	68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant		
199	Rove	E	2	4/19: 010,015,017	TB133 is not available	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No
200	Rubric	K	2	6/23/17: All colors	Approved	70% Polyester, 30% Rayon	PFOA-Free Stain Resistant	Acrylic	No
201	Rule	P	2	3/18:001	TB133 Burn Test Required	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	Stain Resistant	None	No
202	Runner	P	1,2		TB133 Burn Test Required	57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No
203	Runner Standard	K	2		Approved	57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No

	A	B	C	D	E	F	G	H	I
204	Salon	M	3,5 - This fabric is not available on Xtreme upholstered back models	6/23/17: 013 1/15: 019, 025 12/12: 012 001, 003, 005, 007, 008; 012 is restricted due to transparency. 3/2018: 020,004	TB133 not approved	92% Wool, 8% Nylon	None	None	No
205	Scout	G	None	Jan. 2017 Pattern Deletions	Approved	100% Polyester	Stain Resistant	Acrylic	No
206	Schema	O	2		TB133 Burn Test Required	100% Polyester	Crypton Green	Crypton Green	No
207	Scuba	H	5 - This fabric is not available on Xtreme upholstered back models	8/16: 024 1/16: 025 12/12: 014 3/18: 003,019	TB133 Burn Test Required	100% Polyurethane	None	Polyester	No
208	Scute	N	2		Approved on open arm models only	100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No
209	Scuttle	H	None		Approved on open arm models only	100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No
210	Seam	G	None	April 2019 Deletions	Approved	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No
211	Sequence	I	2	3/18: 003	Approved on open arm models only	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No
212	Shadowbox	O	2	3/18: 001,002,003,004,005,006,007,008.	Approved	100% Polyester	Stain Resistant	Acrylic	No
213	Sheen	I	None	Deleted 11/15: 19, FOG 3/18: 020,022 4/19: 001,006,008,012,012,014,015	TB133 Burn Test Required	100% Polyurethane w/Silane-Based Antimicrobial	Stain Resistant	Polyester	No

	A	B	C	D	E	F	G	H	I
214	Shuttle	L	1,2	1/16: 002, 005, 006, 007, 008, 009, 010, 013, 014 6/15: 001, 004, 011, 012, 015 3/18: 003	TB133 Burn Test Required	84% Post-Industrial Recycled Polyester, 16% Post-Consumer Recycled Polyester	Antimicrobial Stain Resistant	Impermeable	NO
215	Shuttle Standard	H	2	3/18: 016,017,018	Approved	84% Post-Industrial Recycled Polyester, 16% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Latex	NO
216	Signal	K	2		TB133 Burn Test Required	54% Post Industrial Recycled Polyester, 46% Post Consumer Recyled Polyester	Crypton Green	Crypton Green	No
217	Skein	E	None	6/23/17: 002 1/17: 007 8/16: 003 3/18: 006	Approved	56% Post-Consumer Recycled Polyester, 44% Polyester	PFOA-Free Stain Resistant	Acrylic	No
218	Soft Tweed	N	None	6/23/17: 002 3/18:004	TB133 Burn Test Required	44% Linen, 22% Cotton, 20% Acrylic, 8% Bamboo Viscose, 6% Nylon	None	None	No
219	Sort	F	None		Approved on open arm models only	100% Vinyl	Antimicrobial Stain resistant	Polyester	Yes
220	Span	L	2,3		Approved	50% Solution Dyed Nylon, 50% Solution Dyed Post Industrial Recylced Nylon	None	Acrylic	No
221	Splay	G	None		TB133 Burn Test Required	100% Vinyl with Antimicrobial	Ink-Resistant Protective Top coat	Polyester	No
222	Spry	F	2		TB133 Burn Test Required	100% Polyester	PFOA-Free Stain Resistant	None	No
223	Stack	I	2	6/23/17: 004 1/17: 007 8/16: 002 6/15: 011, 013 6/14: 003 1/14: 010 7/13: 001, 005, 006, 008, 009	TB133 Burn Test Required	48% Cotton 46% Polyester 6% Rayon	PFOA-Free Stain Resistant	None	No

	A	B	C	D	E	F	G	H	I
224	Star By Kvadrat	L	None	4/19: 747,	Approved	100% Trevira CS Polyester	None	None	Yes
225	Stature	G	None	4/19: 006,012 6/18: 010	Approved on open arm models only	100% Vinyl	Antimicrobial Stain and Ink Resistant	Polyester	Yes
226	Steady	H	5-This fabric is not available on Xtreme upholstered back models	1/17: 004, 012 4/19: 003,010 8/16: 013 6/15: 009 1/15: 011	Approved	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
227	Steady Crypton	K	1	4/19: 002,004,006,010	TB133 Burn Test Required	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton® Green	Crypton® Green	No
228	Steelcut	J	3		TB133 Burn Test Required	90% Wool, 10% Nylon	None	None	No
229	Steelcut Trio	K	3	7/17/17: 144,225,235,245,325,333,353,395,413,415,425,465,565,653,665,675,683,733,745,753,815,825,845,853	TB133 not approved	90% Wool, 10% Nylon	None	None	No
230	Stick Tree by Kvadrat	M	2,3		Approved	94% Wool, 4% Nylon, 2% Polyester	None	None	NO
231	Strand	O	1,2	6/23/17: All colors 1/17: 001, 006, 007, 008	TB133 Burn Test Required	41% Post-Industrial Recycled Polyester, 37% Polyester, 22% Post-Consumer Recycled Polyester	Stain Resistant	Crypton Green	No
232	Stride	N	2	3/18: 001,002,005	Approved	40% Post-Industrial Recycled Polyester, 39% Polyester, 21% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
233	Strum	I	None	4/19: 003	TB133 Burn Test Required	100% Polyurethane with Silane Based Antimicrobial	Stain Resistant	Polyester/Cotton	No

	A	B	C	D	E	F	G	H	I
234	Surge	O	2		TB133 Burn Test Required	36% Cotton, 36% Rayon, 28% Solution Dyed Post Industrial Recycled Nylon	PFOA-Stain resistant	Acrylic	No
235	Swivel	Q	2		TB133 has not been evaluated	42% Polyester, 29% Cotton, 29% Rayon	Crypton	Crypton	No
236	Tailor	J	1,2	6/23/17: 011 1/17: 001, 006, 012 3/18: 003,010,013,	Approved on open arm models only	100% Vinyl	Antimicrobial Stain Resistant	Polyester	Yes
237	Tally	R	2	6/23/17: 001,006,008,009 1/16: 002 6/14: 003 12.12: 004 010	Approved on open arm models only	74% Post-consumer recycled polyester 26% Solution-dyed nylon	PFOA-Free Stain Resistant	Acrylic	No
238	Tandem	L	2		Approved	51% Post-Industrial Recycled Polyester, 49% Polyester	PFOA-Free Stain Resistant	Impermeable	No
239	Technic	B	None		Approved	60% Post-Industrial Recycled Polyester, 40% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	NO
240	Telary	L	None	4/19: 001,006,007	TB133 has not been evaluated	41% Cotton, 33% Post-Consumer Recycled Polyester, 26% Nylon	PFOA-Free Stain Resistant	Acrylic	NO
241	Tend	I	None		TB133 has not been evaluated	55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
242	Terrace	I	1	1/16: 003, 004 1/15: 002 3/18:001,005,006	TB133 Burn Test Required	46% Solution-Dyed Polyester, 45% Vinyl-Coated Polyester, 9% Solution-Dyed Acrylic	Stain Resistant	Acrylic	No
243	Tilt	M	2		TB133 has not been evaluated	56% Cotton, 35 % Polyester, 9% Rayon	PFOA-Free Stain Resistant	Acrylic	No
244	Tonica	I	3		Approved	100% Wool	None	None	No

	A	B	C	D	E	F	G	H	I
245	Tonus	J	3	1/17: 109, 127, 133, 209, 380, 622, 624, 625, 632, 680, 840 3/16: 106, 111, 119, 122, 123, 124, 126, 201, 211, 215, 450, 505, 509, 614, 620, 623, 627, 628, 629, 630, 633, 635, 640, 690, 780 1/16: 740	Approved	90% Wool, 10% Helanca	None	None	No
246	Trait	I	3,5 - This fabric is not available on Xtreme upholstered back models	8/16: 012 6/15: 008, 014 6/14: 002, 007 7/13: 004, 005 11/09: 003 010 7/09: 006 013 3/18: 018,021	Approved	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No
247	Transport	N	None	4/19: 003,004	TB133 has not been evaluated	48% Rayon, 32% Polyester, 20% Linen	Stain Resistant	Polyester	No
248	Tread	L	2	April 2019 Deletions	TB133 Burn Test Required	100% Polyurethane with Silane-Based Antimicrobial	Stain Resistant	Polyester/Cotton	No
249	Treat	L	1	6/23/17: 007 1/17: 001, 002 8/16: 005 6/14: 003, 004	TB133 Burn Test Required	53% Polyester, 24% Cotton, 23% Rayon	PFOA-Free Stain Resistant	Acrylic	No
250	Trees	N	2		TB133 Burn Test Required	55% Cotton, 28% Nylon, 17% Wool	PFOA-Free Stain Resistant	Acrylic	No
251	Trellis	K	None	3/18: 004,005	TB133 Burn Test Required	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No
252	Tremor	K	3	Jan. 2017 Pattern Deletions	Approved	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No
253	Trio	M	2	4:19/ 003,005,006	TB133 Burn Test Required	76% Cotton, 24% Nylon	Stain Resistant	None	No
254	Turn	M	1,2	6/23/17: All colors 1/14: 003 7/13: 006, 007, 008 12.12: 001 002 005 009	TB133 Burn Test Required	100% Polyester	Crypton®	Crypton®	No



	A	B	C	D	E	F	G	H	I
255	Trundle	C	None		TB133 Burn Test Required	59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No
256	Twice	L	2	1/17: 004 8/16: 008 6/14: 007 1/14: 002 006 009 3/18: 001,0003	TB133 not approved	48% Polyester, 23% Rayon, 15% Cotton, 9% Post-Industrial Recycled Polyester, 5% Post-Consumer Recycled Polyester	Stain Resistant	Acrylic	No
257	Twill Weave	K	3		TB133 Burn Test Required	90% Wool, 10% Nylon	None	None	No
258	Twine	K	3	Jan. 2017 Pattern Deletions	Approved	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No
259	Urban	R	1,2	3/18: 004	TB133 Burn Test Required	90% Polyester, 10% Rayon	Crypton®	Crypton®	Yes
260	Vary	I	None	Jan. 2017 Pattern Deletions	Approved	100% post-consumer recycled polyester	PFOA-Free Stain Resistant	Acrylic	No
261	Veer	F	None						
262	Venn	M	1,2	3/18: 001,007 003,009      4/19:	TB133 Burn Test Required	42% Polyester, 29% Cotton, 29% Rayon	Antimicrobial Stain Resistant	Impermeable	Yes
263	Vestige	O	2		Approved	71% Polyester, 29% Rayon	PFOA-Free Stain Resistant	Acrylic	No
264	Waterborn by Kvadrat	P	1		Approved on open arm models only	85% Polyester, 15% Polyurethane	PFOA-Free Water Repeller	None	No
265	Waver	I	3	No	TB133 Burn Test Required	50% Solution-Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	

	A	B	C	D	E	F	G	H	I
266	Waxen	D	None	6/23/17: 013,015 1/15: 002, 004 3/18: 001,003,005,006,007,010,011,01 2,014,016,017,019	Approved	100% Polyester	INCASE	Acrylic	Acrylic
267	Weimar	M	2,5 - This fabric is not available on Xtreme upholstered back models	Jan. 2017 Pattern Deletions	Approved	59% Polyester, 41% Rayon	PFOA-Free Stain Resistant	None	NO
268	Wend	D	None		Approved	50% Polyester, 32% Post-Industrial Recycled Polyester, 18% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No
269	Whirl	J	2	April 2019 Deletions	Approved	60% Rayon,32% Post Industrial Recycled polyester, 8% Post consumer Recycled polyester	PFOA-Free Stain Resistant	Acrylic	No
270	Wrap	H	2	4/19: 008	Approved on open arm models only	100% Vinyl	Stain Resistant	Acrylic	Yes
271	Wool Rib	N	None	6/23/17: 002,004,008	TB133 Burn Test Required	38% Cotton, 29% Acrylic, 19% Wool, 7% Alpaca, 7% Nylon	None	None	NO

**Compatibility Report for Maharam GradedIn Listing 1-16-2015.xlsx**  
**Run on 11/3/2015 14:31**

The following features in this workbook are not supported by earlier versions of Excel. These features may be lost or degraded when opening this workbook in an earlier version of Excel or if you save this workbook in an earlier file format.

**Significant loss of functionality**

**# of occurrences**

This file originally contained features which were not recognized by this version of Excel. These features are not preserved when saving an OpenXML file to the XLSB file format, or vice versa.
--

1

**Version**

Excel 2007