

Price List Effective Dates:	
Pricing	03.01.21
Revisions	02.01.21




	▶ See page
Statement of Line	JL.2
Planning	JL.3
Pricing	JL.4

JOLT™ ACCESSORIES

USB Charging Device

Statement of Line

Statement of Line	▶ See page JL.2
Planning	JL.3
Pricing	JL.4



USB Charging Device

- ▶ See page JL.3 for product info.
- ▶ See page JL.4 to specify.


JOLT™ ACCESSORIES

USB Charging Device

Planning

Statement of Line	▶ See page JL.2
Planning	JL.3
Pricing	JL.4


Details



Jolt USB charger provides connectivity and functionality in a clean and flexible way. This USB charger can be adhered to underneath side of work-surfaces so it's readily accessible. Jolt USB charger is capable of charging a variety of devices including phones and tablets; IOS or Android. The front connectors are backlit (blue) indicating that the USB connectors are powered.

Unit charges up to 2 amps per port; devices must be compatible with USB 1.0, 2.0 or 3.0 (Type A).

Connections



USB charger adheres to laminate, veneer, solid surface or glass tops with acrylic foam tape that is pre-affixed to the top of the unit.


USB charger should be mounted $\frac{1}{8}$ " insert from underside of work-surfaces.

USB charger includes UL listed AC adapter with 10' cord.

JOLT™ ACCESSORIES
USB Charging Device

Pricing
GSA Non-Contract

Statement of Line	▶ See page JL.2
Planning	JL.3
Pricing	JL.4



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
1½"	2"	¾"	97KUSBCU	USB Charging Device	\$270

Standard Includes

- Two USB ports
- AC adapter with 10' cord

How to Specify

- 1 Model

Electrical accessories are available for field installation only.

▶ See assembly instructions at www.kimball.com for proper use, device locations, and installation.