

Price List Effective Dates:	
Pricing	10.03.22
Revisions	09.01.22




▶ See page

Statement of Line	NH.2
Planning	NH.3
Overview	NH.3
Pricing	NH.4
Surface Materials	NH.5
Wood Finishes	NH.5
Upholstery	NH.6

NASH™ SEATING

Statement of Line

Statement of Line	▶ See page NH.2
Planning	NH.3
Pricing	NH.4
Surface Materials	NH.5



Side Chairs

▶ See page NH.4 to specify.



Bar Stools

▶ See page NH.4 to specify.

▶ See individual pricing pages for dimensions.

NASH™ SEATING

Overview

Planning

Statement of Line	➤ See page NH.2
Planning	NH.3
Pricing	NH.4
Surface Materials	NH.5

Steam-bent frame is constructed of kiln-dried European beech to support the body's curves.

Cleanout is standard to make cleaning easy and simple.

Seat suspension is constructed of $\frac{9}{32}$ "-thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine-stretched across the open perimeter and stapled to the edges to form a secure suspension.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Seat rails are reinforced with wood corner blocks and cleats attached with glued and wood screws.

Seat assembly is attached with wood screws to wood cleats on the frame.

Seat cushion is made of $1\frac{1}{4}$ " thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability.


Wall-saver legs flare slightly so they contact the baseboard first, saving the wall's finish.

Nylon glides are $\frac{7}{8}$ " in diameter.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Contrasting upholstery on backs and seats is available on Nash guest chairs. If different price grades are selected, use our electronic specification tool for accurate pricing.

Brushed aluminum foot rail protector is standard on front rails of Nash bar stools.





Side Chairs



Bar Stools

Statement of Line	▶ See page NH.2
Planning	NH.3
Pricing	NH.4
Surface Materials	NH.5

Tips

Due to the three-dimensional design of back and arms, horizontal stripes are not recommended as they will appear wavy across the back.

Contrasting upholstery is available with Kimball upholstery, COM, COL, or Alliance Program upholstery. Use an electronic specification tool for accurate pricing.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Models that meet TB133 requirements are available in select upholstery.

▶ Contact **By Design**.

Model	Description	In-Line Upholstery Pricing										Shipping		GSA
		1	2/COM	3/COL	4	5	6	7	L7	L8	lbs.	Cubic Feet	SIN	
K54GC	Side chairs	\$2094	2209	2274	2349	2458	2566	2671	3125	3378	32.00	16.80	33721	
K54ST	Bar stools	\$2195	2310	2375	2450	2559	2667	2772	3226	3479	38.00	20.00	Pending	

Model	Alliance Program Upholstery Pricing																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
K54GC	\$2262	2343	2405	2469	2538	2619	2665	2752	2826	2901	3023	3265	3419	3453	3483	3520	3557	3727
K54ST	\$2363	2444	2506	2570	2639	2720	2766	2853	2927	3002	3124	3366	3520	3554	3584	3621	3658	3828

Description	Dimensions (Inches)							COM (Yards)				COL	
	Overall			Seat				1-4"				Sq.	
	H	W	D	H	W	D	H	Non-Dir.	Repeat	Repeat	Repeat	Feet	
Side chairs	30¾	27¾	24½	18	23	20	26	Entire Unit	1.9	2.4	3.0	3.8	38.0
								Back	1.2	1.6	2.1	2.8	24.0
								Seat	1.0	1.1	1.4	1.5	20.0
Bar stools	42	24½	23½	30	23	20	37¼	Entire Unit	1.9	2.4	3.0	3.8	38.0
								Back	1.2	1.6	2.1	2.8	24.0
								Seat	1.0	1.1	1.4	1.5	20.0

How to Specify

- ① Model
- Back:
- ② Upholstery grade
- ③ Upholstery number
- Seat:
- ④ Upholstery grade
- ⑤ Upholstery number
- Frame:
- ⑥ Finish price group:
STD = Group 1
- ⑦ Finish designator

NASH™ SEATING

Wood Finishes

Surface Materials

Statement of Line	▶ See page NH.2
Planning	NH.3
Pricing	NH.4
Surface Materials	NH.5

Applies to:

- Nash seating

Price Group 1

AD	Almond
MC	Amber
BZ	Brazilwood
IM	Brighton
CO	Canyon
CI	Chai
CC	Cordoba
ES	Espresso
DF	Driftwood
TM	Huntington
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
NW	Tuscan
UW	Urban
WL	Willow

- ▶ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:
- Characteristics of wood
 - Special wood finishes
 - Customer-specified laminate (CSL)
 - Customer-specified paint (CSP)
 - Fabric application and colorways
 - Customer's own material (COM) process overview
 - Alliance program
 - TB133 process

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match.

▶ Contact Customer Service for more information.

Statement of Line	▶ See page NH.2
Planning	NH.3
Pricing	NH.4
Surface Materials	NH.5

Applies to:
• Nash seating

Kimball Seating Fabric

Price Grades 1–7

▶ See the *Surface Materials Reference Guide* at www.kimball.com for the most up-to-date list of available seating fabric patterns.

Kimball Leather

Price Grades L7 and L8

▶ See the *Surface Materials Reference Guide* at www.kimball.com for the most up-to-date list of available seating leather.

Alliance Fabric

Price Grades A–R

▶ See Surface Materials at www.kimball.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

COM/COL

Kimball has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on the pricing pages. The yardage requirement for each model is based on 54"W fabric and cutting the fabric up the roll.

For widths other than 54", increase the yardage requirement by the factors below:

<i>Fabric width</i>	<i>Increase yardage</i>
50"–53"	15%
48"–49"	30%
45"–47"	45%

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required.

When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

▶ Contact Customer Service.

- ▶ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:
- Characteristics of wood
 - Special wood finishes
 - Customer-specified laminate (CSL)
 - Customer-specified paint (CSP)
 - Fabric application and colorways
 - Customer's own material (COM) process overview
 - Alliance program
 - TB133 process