



## Seating Upholstery Alliance Program

CF Stinson Customer Service 800.841.6279 or [customerrelations@cfstinson.com](mailto:customerrelations@cfstinson.com)

Order memo samples through CF Stinson Customer Service, Alliance website page, or [www.cfstinson.com](http://www.cfstinson.com)

All patterns not listed must be ordered as a COM

This document is considered the most up-to-date listing of CF Stinson graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ace	E	None		80% Post Industrial Recycled Polyester, 20% Post Consumer Recycled Polyester	NanoTex®	Polyester	No	Approved
Acrobat	R	1,2		50% Post-Industrial Recycled Polyester, 33% Post-Consumer Recycled Polyester, 17% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Adagio	E	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Affinity	G	None		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Alfresco	G	None		58% Polyester, 27% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Alignment	I	2		70% Post Consumer Recycled Polyester, 30% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Amplify	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Anagram	F	None		57% Polyester, 31% Post Consumer Recycled Polyester, 12% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Ardent	C	None		Vinyl Surface	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Armature	N	1, 2		36% Sunbrella® Solution Dyed Polyester, 34% Sunbrella® Solution Dyed Acrylic, 30% Non-phthalate PVC Coated Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Artisan	B	None		100% Polyester	Enhanced Soil and Stain Protection	SBR Synthetic Backing	No	TB133 Burn Test Required
Avant	B	1	03.21: 313	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester/Cotton	Yes	**Approved on many TB133 seating models; restricted on lounge models

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Banyan - Patty Madden	F	None	02.20: 11	100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Bari - Patty Madden	I	1	03.21: 09	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Bass Line	L	2,3		100% Post Industrial Recycled Solution Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Beatbox	I	2,3		100% Post Industrial Recycled Solution-Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Bespoke	E	None	7.20: 63690, 63692	50% Post Consumer Recycled Polyester, 50% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Blip	B	None		70% Polyester, 20% Eco Intelligent Polyester, 6% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Bliss	R	2		63% Sunbrella Solution Dyed Acrylic, 37% Sunbrella Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Block Party	J	None		100% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Bongo	L	3		96% Post Industrial Recycled Nylon, 4% Post Consumer Recycled Solution Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
<b>Boost w/Celiant Temporarily Unavailable</b>	L	2		60% Celliant® Polyester, 40% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Borderline	P	2		60% Sunbrella® Solution Dyed Acrylic, 40% Sunbrella® Solution Dyed Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Breton	L	1,2		67% Polyester, 33% Post-Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Brilliant	C	None		50% Post Consumer Recycled Polyester, 50% Pre-Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Brixton	J	3		100% Wool	None	None	No	TB133 Burn Test Required
Brushwork	H	None		41% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester, 24% Solution Dyed Nylon	None	Acrylic	No	TB133 Burn Test Required
Bryant Park	B	None		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Calibration	P	2		94% Polyester, 6% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Cannon Beach	N	2		67% Sunbrella® Solution Dyed Acrylic, 33% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Carlisle	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Casablanca	I	1,2	03.21: 12 07.20: 20 02.20: 18	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Cassidy	B	None	01.21: 07 02.20: 22, 49	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Catalina	I	None		55% Sunbrella® Solution Dyed Acrylic, 45% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	Approved
Celeste	T	1,2	02.19: 62760; 62769	53% Polyester, 31% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Channel	K	2		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Charlotte	H	2		47% Post Industrial Recycled Polyester, 27% Polyester, 26% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chroma	G	None	03.21: 17 02.19: 15, 16, 18, 21, 24 12.18: 10, 12, 13, 14	Hybrid Vinyl Matrix	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
<b>Circulate w/Celliant Temporarily Unavailable</b>	M	2		65% Celliant® Polyester, 35% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cirque	E	1	02.20: 18, 30, 32	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Cirro	H	None		78% Post Consumer Recycled Polyester, 22% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	None	No	Approved
Citadel	C	None		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Clean Slate	D	None	03.21: 26	100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Coco	I	2		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Color Block	I	None		75% Post Consumer Recycled Polyester, 25% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Comeback	J	2		50% Post-Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	Blockaide™ Soil and Stain Protection	Acrylic	No	Approved
Connect	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Continuum	F	2		47% Post-Industrial Recycled Polyester, 33% Post Consumer Recycled Polyester, 20% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Core	C	None	03.21: 29, 39, 42, 46, 76, 77, 78, 82 01.21: 11	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Criss Cross	D	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Current	L	1		38% Post Consumer Recycled Polyester, 31% Post Industrial Recycled Polyester, 31% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Dakota	F	None	02.19: 23, 25, 28, 29, 30, 34, 35, 36, 42 05.18: 24, 31, 32, 33, 39	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester	No	TB133 Burn Test Required
Dart	C	None		58% Polyester, 27% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Deflection	L	2		52% Polyester, 24% Post Industrial Recycled Polyester, 24% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Deza	L	2		63% Sunbrella® Solution Dyed Acrylic, 37% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn test Required
Didi	F	None		Polyurethane made with Polycarbonate resins	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Diva	D	1,2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Divyv	R	2		61% Post Consumer Recycled Polyester, 25% Polyester, 14% Nylon	Crypton Non-PFOA Soil & Stain Protection	Crypton Fluid Barrier	No	TB133 Burn Test Required
Dodgeball	K	2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Donegal	F	None		53% Polyester, 26% Post Industrial Recycled Polyester, 21% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Drift	F	None		84% Olefin, 12% Nylon, 4% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Drizzle	I	3		67% Post Consumer Recycled Solution Dyed Nylon, 33% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Duet	F	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Eddy	K	3		56% Wool, 25% Nylon, 19% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Effervescence	G	None		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Elderberry	L	2		36% Nylon, 23% Cotton, 21% Rayon, 20% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Eli - Patty Madden	G	None	01.21: 01, 22 02.19: 21	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Enhance w/ Celliant® Temporarily Unavailable	H	None		43% Celliant® Polyester, 26% Polyester, 17% Acrylic, 14% Rayon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Essential	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Etch	G	None		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester/Cotton	No	TB133 Burn Test Required
Euclid	F	2		45% Polyester, 35% Post Industrial Recycled Polyester, 20% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fast Lane	C	None		54% Polyester, 30% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fiberdrill	G	None		100% Polyurethane	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Figment	Q	2		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Fizz	E	1		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Recycled Polyester	No	TB133 Burn Test Required
Flanders	C	None		Vinyl Face with Polyester Backing	Advanced Soil and Stain Resistant Top Coat	Polyester Fabric	No	TB133 Burn Test Required
Fleck	B	None		100% Polyester	Enhanced Soil and Stain Protection	SBR Synthetic Backing	No	TB133 Burn Test Required
Flip Flops	M	2		58% Sunbrella® Solution Dyed Acrylic, 42% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Folio	L	1, restricted on Mix-it		68% Polyester, 22% Cotton, 10% Acrylic	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Fractal	L	2		58.8% Polyester, 27% Post Industrial Recycled Polyester, 14.2% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Frequency	L	2		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Furrows	C	None		51% Post Industrial Recycled Polyester, 49% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fuse	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Galileo	G	None		Polyurethane made with Polycarbonate resins	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester/Cotton	No	TB133 Burn Test Required
Geomet	F	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Gradation	F	2		67% Polyester, 26% Post Industrial Recycled Polyester, 6% Post Consumer Recycled Polyester, 1% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Graph	F	None		74% Polyester, 17% Post Consumer Recycled Polyester, 9% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Gravity	E	None		85% Polyester, 14% Post Consumer Recycled Polyester, 1% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Grille	D	2		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Grove	O	2		68% Post-Consumer Recycled Polyester, 32% Post-Industrial Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	Approved
Handwork	M	1, 2		86% Polyester, 9% Post Industrial Recycled Polyester, 5% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic Back Coating	No	Approved
Hashtag	F	None		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Haven	F	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Helix	I	3		50% Post-Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	Blockaide™ Soil and Stain Protection	Acrylic	No	Approved
Hexie	Q	2		37% Cotton, 35% Post Consumer Recycled Polyester, 28% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Hi-Fi	D	2		47% Polyester, 34% Post Industrial Recycled Polyester, 19% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Highlight	B	None		70% Post Consumer Recycled Polyester, 30% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Hive	D	2		88% Polyester, 8% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Hush	H	None		49% Polyester, 22% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
I Spy	H	None		71% Post Consumer Recycled Polyester, 29% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Impress w/ Sta-kleen	F	None		100% Polyurethane	Sta-Kleen ink® + Stain Resistant	Polyester/Cotton	No	TB133 Burn Test Required
Infinity Plush	R	2, 4 Restricted on Delgado		100% Polyester	Enhanced Soil and Stain Protection	Acrylic	No	Approved
Inside Track	C	None		56% Polyester, 32% Post Consumer Recycled Polyester, 12% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Jala	T	2		67% Post Consumer Recycled Polyester, 21% Nylon, 12% Polyester	INCASE ®	Acrylic	No	TB133 Burn Test Required
Jillian	E	2		65% Post Consumer Recycled Polyester, 35% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Juxy - Patty Madden	F	None		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Kennebunk	M	2		52% Polyester, 20% Post Consumer Recycled Polyester, 28% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Kinetic	E	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Knot	F	None		86% Olefin, 14% Polyester	Non-PFOA Stain Resistant	Latex	No	TB133 Burn Test Required
Kusari	D	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Lara	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Laredo	B	None	02.19: 25, 28, 34	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Lateral	C	2		65% Post Consumer Recycled Polyester, 35% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	Approved
Lava - Patty Madden	M	2		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Level	D	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Lifecycle	P	2, 3		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Lift	S	2		38% Post Industrial Recycled Nylon, 32% Cotton, 25% Rayon, 5% Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Live Wire	H	None		Vinyl Face with Polyester Backing	Zeron® Protective Finish	Polyester Fabric	No	TB133 Burn Test Required
Loophole	L	2		Vinyl Face	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Lucent	L	3		81% Solution Dyed Nylon, 19% Post Consumer Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Luster	F	None		66% Polyester, 22% Post Industrial Recycled Polyester, 12% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Mandala	P	2		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Marquetry	N	2		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Martini - Patty Madden	F	1		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Maxwell	F	2		37% Post Consumer Recycled Polyester, 32% Post Industrial Recycled Polyester, 31% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Maze	J	None		83% Polyester, 17% Nylon	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Median	H	None		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Mesa	L	None	02.19: 22, 31, 33, 34	100% Polyurethane	Enhanced Soil and Stain Protection	Rayon	No	TB133 Burn Test Required
Meteor	O	2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Mica	D	1		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Migration	Q	2, 3		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Mingle	I	None		100% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Moby	B	None		100% Polyester	Non-PFOA Stain Resistant	Acrylic Latex	No	TB133 Burn Test Required
Moccasin	B	1	02.19: 15, 34 12.18: 11,12,13,14,18,23	100% Vinyl	Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Mod	L	2		74% Post Consumer Recycled Polyester, 26% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Modena	G	None		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Monhegan	M	2		71% Post Consumer Recycled Polyester, 29% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Montage	E	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Montana	C	1	03.21: 79, 85, 91 01.21: 95, 97	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Moxie	H	None		100% Polyurethane	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Natural World	H	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Nest	R	2		61% Post Consumer Recycled Polyester, 25% Solution Dyed Nylon, 14% Post Industrial Recycled Nylon	INCASE ®	Acrylic	No	TB133 Burn Test Required



Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Network	M	2		57% Post Consumer Recycled Polyester, 43% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
New Hempstead	B	None	02.20: 416	100% Polyester	Non-PFOA Stain Resistant	Polyester	No	Approved
Nimble	L	2		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Nishiki	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester Knit	No	TB133 Burn Test Required
Nova	E	2		65% Post Consumer Recycled Polyester, 35% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Obscura	L	2		100% Post Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Offset	N	2		71% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Enhanced Soil and Stain Protection	Acrylic	No	TB133 Burn Test Required
Olivia	B	None		100% Polyester	Enhanced Soil and Stain	Acrylic	No	TB133 Burn Test Required
Olympus - Patty Madden	I	None	02.19: 03	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Orbit	K	2		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Outlander	C	None		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Overlay	E	None		Vinyl Surface	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Yes	TB133 Burn Test Required
Oxford	C	None	02.20: 03, 05, 06, 09, 13, 14, 20, 21, 22, 23 02.19: 11, 15, 18	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Pacifica	L	2		63% Sunbrella® Solution Dyed Acrylic, 37% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Paloma	C	None		100% Polyester	Non-PFOA Stain Resistant	None	No	TB133 Burn Test Required
Park Avenue	H	None		82% Polyester, 18% Cotton	Enhanced Soil and Stain Protection	Acrylic	No	TB133 Burn Test Required
Passport	F	None		66% Post Consumer Recycled Polyester, 34% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Patriot Plus	C	1		100% Vinyl	PermaBlok3	Polyester/Cotton	Varies by color	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Penelope	F	None		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Pergola	I	2		52% Polyester, 26% Post Industrial Recycled Polyester, 22% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Perimeter	I	None		65% Post Consumer Recycled Polyester, 35% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Acrylic	No	TB133 Burn Test Required
Piccadilly	K	2		63.5% Post Consumer Recycled Polyester, 36.5% Eco Intelligent® Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Pinball	L	2		53% Polyester, 25% Post Industrial Recycled Polyester, 22% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Pivot	B	None		100% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic Latex	No	Approved
Pod	I	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Polka	C	None		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Posey	I	2		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Posh	F	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Power Grid	T	2		67% Post Consumer Recycled Polyester, 33% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Prisma - Patty Madden	H	None		100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Prodigy	T	2		53% Post Consumer Recycled Polyester, 31% Polyester, 16% Nylon	Crypton® Non-PFOA Soil & Stain Protection	Crypton Fluid Barrier	No	TB133 Burn Test Required
Progression	L	2, 3		50% Post Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	None	Acrylic	No	TB133 Burn Test Required
Promenade	M	2		100% Vinyl	Advanced Soil and Stain resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Queue	L	2		82% Polyester, 18% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Radiance	M	2,3		66% Solution Dyed Nylon, 34% Solution Dyed Post Consumer Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Raffia	D	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Rally	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester/Cotton	Yes	**Approved on many TB133 seating models; restricted on lounge models

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Raquette	K	2		100% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Raya	S	2		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Realm	E	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Recharge with Celliant® Temporarily Unavailable	J	2		58% Polyester, 42% Celliant® Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Refraction	B	None		70% Post Consumer Recycled Polyester, 30% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Retrograde	E	2		97% Polyester, 2% Post Industrial Recycled Polyester, 1% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Revolution	L	2		55% Polyester, 45% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Revolve - Patty Madden	O	2		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Rialto	C	None	09.20: 11, 13, 15, 21, 24, 26, and 31	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Riddle	F	2		100% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Ripple - Patty Madden	I	None		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Ritz	E	4		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Rivera - Patty Madden	F	1	03.21: 04 02.20: 07	100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Round Trip	S	2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Route	K	2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Rubric	P	2		39% Olefin, 25% Post Consumer Recycled Polyester, 22% Polyester, 14% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
San Simeon	L	2		67% Sunbrella® Solution Dyed Acrylic, 33% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Satchel	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Satellite	E	2		59% Post Industrial Recycled Polyester, 41% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Scintillate	O	2		64% Post-Consumer Recycled Polyester, 36% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Scout	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Script	D	None	03.21: 30, 36 02.20: 32, 34, 38	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Season	O	2		64% Sunbrella® Solution Dyed Acrylic, 36% Subrella® Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Sedona	L	None	02.19: 32, 54, 59, 61, 66, 70, 71, 72, 73	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester Rayon	No	TB133 Burn Test Required
Semaphore	N	2		59.5% Post Consumer Recycled Polyester, 40.5% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sensor	I	None		100% Bella-Dura Polyolefin	None	None	No	TB133 Burn Test Required
Sentry	D	2	09.20: 43, 44, 47	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Sequence	C	None		78% Polyester, 22% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Shantung	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Shift	B	None		75% Post Consumer Recycled Polyester, 25% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Shimmy	E	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Sideline	I	2		100% Post-Industrial Recycled Polyester	Non-PFOA Stain Resistant	Polyester	No	Approved
Silicone-Avail	I	6		100% Silicone	None	Polyester Knit	No	Approved
Sleek	D	1	12.18: 22,27,31	100% Vinyl	None	Polyester/Cotton	No	TB133 Burn Test Required
Sleeping Bear Dunes	J	2		53% Post Consumer Recycled Polyester, 42% Nylon, 5% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Smoothie	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Splice	O	2		58% Cotton, 28% Nylon, 14% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sprint	B	None		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Square One	C	None		63% Polyester, 37% Olefin	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Squire	F	1		60% Post Consumer Recycled Polyester, 40% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Staple	B	None		100% Polyurethane	None	Polyester/Cotton	No	TB133 Burn Test Required
Stellar	D	None		90% Polyester, 7% Post Industrial Recycled Polyester, 3% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Steppe	L	2, 3		61% Post Consumer Recycled Solution Dyed Nylon, 39% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Strand	C	2		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Stratford	P	2		49% Rayon, 26% Cotton, 25% Nylon	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Stride	D	None		Vinyl Surface	Advanced Soil and Stain Resistant Top Coat	Nylon	No	TB133 Burn Test Required
Summit	F	None		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Sunburst	K	2		100% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Sundance with Sta-Kleen™	F	None	03.21: 24 12.18: 17,18,20,23,27	100% Polyurethane	Sta-Kleen ink® + Stain Resistant	Polyester/Cotton	No	TB133 Burn Test Required
Supersiliness	S	2,3		100% Post Industrial Recycled Solution Dyed Nylon	INCASE®	Acrylic	No	Approved
Swipe	N	2		94% Polyester, 4% Post Industrial Recycled Polyester, 2% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Swivel	M	2		74% Post Consumer Recycled Polyester, 26% Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sync	J	None		69% Sunbrella® Solution Dyed Acrylic, 31% Sunbrella® Solution Dyed Polyester	Sunbrella Assure	Acrylic	NO	TB133 Burn Test Required
Tangram	I	2		74% Polyester, 17% Post Industrial Recycled Polyester, 9% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	none	No	Approved
Tendril	B	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Tessuto	F	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Thrive	T	2		63% Sunbrella Solution Dyed Acrylic, 37% Sunbrella Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Torus	M	2		65% Polyester, 20% Post Consumer Recycled Polyester, 15% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Touch Base	D	None		43% Olefin, 30% Polyester, 27% Post Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Touchstone	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Tranquility	Q	2		71% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Tribeca	B	None		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Trio	J	None		60% Polyester, 22% Nylon, 9% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Tweed	G	1		51% Post Industrial Recycled Polyester, 49% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Twiggy	J	2		55% Polyester, 29% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Twist	L	2		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Vanish	I	3		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Velocity	H	None		66% Post Consumer Recycled Polyester, 34% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Voltage	R	2,3		50% Post-Industrial Recycled Nylon 35% Cotton, 8% Poly, 7% Rayon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Volterra-HC	L	None	03.21: 15 02.19: 10, 18, 38	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester Rayon	No	TB133 Burn Test Required
Vortexia	I	1,2		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Waterwand	K	None		100% Vinyl	Zeron® Protective Finish	Polyester Knit	Varies by color	TB133 Burn Test Required
Weft	C	None		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Whirl	M	2		73% Post Consumer Recycled Polyester, 27% Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Wicker - Patty Madden	G	None		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Winnly	E	None		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Wyatt	D	None		100% Polyurethane	Enhanced Soil and Stain Protection	Polyester	No	TB133 Burn Test Required
Ybor - Patty Madden	I	None		100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Zoom	F	None		100% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved